


CROSS SECTION OF THRESHOLD

Coordinate Finished Floor Height For Code. Finished Floor May Be No More Than 1/4" Below The Top Of Compartment Threshold.



SUBMITTAL

This shower enclosure shall be model XSA 4136 BF .875 right, or left. Finished surface shall be of a sanitary grade acrylic exhibiting a minimal thickness of 15 dry mils and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 41 1/4" x 36 1/4" x 82 7/8". The unit shall meet ANSI Z124.1-2, ANSI A117.1, ADA, HUD, BOCA, NAHB UPC, and shall meet the requirements of the Southern Building Code.

The enclosure shall be equipped with the following accessories:
 1) One 18" x 1 1/2" diameter aluminum anti-ligature grab bar on the back wall, 2) one 24" x 1 1/2" diameter aluminum anti ligature grab bar on the valve wall, both with 1 1/2" statute clearance, secured from the rear with stainless steel bolts and 3" x 3" x 11 gauge metal mounting plates, 3) large molded seat, 4) molded soap ledge, 5) break away curtain track, 6) tri cell backing, 7) EasyBase™ self sustaining bottom, 8) 7/8" threshold.

OPTIONAL ACCESSORIES:

Factory Plumbing Install Option: YES NO

- Tamper proof recessed valve and tamper proof shower head.
- PB Pressure Balancing Mixing Valve

THIS UNIT FEATURES THE OUTSIDE DIMENSION OF 41 1/4" OF OVERALL WIDTH. THIS DOES NOT ALLOW FOR FULL ENCLOSURE OF THE BOLTS AND NUTS USED TO SECURE THE BARS AND SEAT IN PLACE. THE BOLT AND NUT COMBINATION SHOULD NOT PROTRUDE MORE THAN 3/4" ON EITHER SIDE OF THE SHOWER WALLS. THIS MAY REQUIRE THE NEED TO NOTCH STUDS TO ALLOW BOLT CLEARANCE FOR A DRYWALL ENCLOSED FIRE WALL INSTALLATION. ADJUSTMENT OF THE WALL BOARD MAY BE NECESSARY TO PROVIDE CLEARANCE OF THE BOLT(S) WHILE MAINTAINING THE INTEGRITY OF THE DRYWALL ENCLOSED FIRE WALL ENCLOSURE.

NOTE: THIS UNIT WILL NOT ACCEPT A DOOR.

Job Name	Approved By	Name	Date	COMFORT DESIGNS	
Project No	Architect			Model No. XSA 4136 BF .875 BH	
Comfort Designs 435 Industrial Road Savannah, TN 38372 tel 800.443.7269 fax 731.925.4290 www.comfortdesignsbathware.com	Engineer			Drawing No. XSA 4136 BF .875 AlmAnti-LigHBW AlmAnti-LigHSW MS BRK EB	
	Rep			Date Issued, 4-6-12	Drawing Rev.
	Wholesaler			Material. Acrylic	
	Comments				Color.
					Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"